


## TABLE OF CONTENTS

14mm - silver - best for NXT14	.....	2
14mm - black - best for MNXT14	.....	3
21mm - silver - best for STI21	.....	4
21mm - black - best for MSTI21	.....	5
22mm - silver - best for SFG	.....	6
22mm - black - best for MSFG	.....	7
2mm - silver - best for WSFG, STI and NXT26	.....	8
26mm - black - best for MWSFG, MSTI and MNXT26	.....	9
35mm - silver - best for TIP and NXT35	.....	10
35mm - black - best for MTIP and MNXT35	.....	11

## PRODUCT SPECIFICATIONS

Product	180 Degree Joiner Pk2
Code	LCFJOINER180-14
Colour	Silk Silver
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for NXT14




- \* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- \* Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at [www.lauxesgrates.com.au](http://www.lauxesgrates.com.au)

*Disclaimer:* All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

## PRODUCT SPECIFICATIONS

Product	180 Degree Joiner Pk2
Code	LCFJOINER180-14
Colour	Midnight Black
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for MNXT14




- \* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- \* Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at [www.lauxesgrates.com.au](http://www.lauxesgrates.com.au)

*Disclaimer:* All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

## PRODUCT SPECIFICATIONS

Product	180 Degree Joiner Pk2
Code	LCFJOINER180-21
Colour	Silk Silver
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for STI21




- \* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- \* Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at [www.lauxesgrates.com.au](http://www.lauxesgrates.com.au)

*Disclaimer:* All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

## PRODUCT SPECIFICATIONS

Product	180 Degree Joiner Pk2
Code	LCMFJOINER180-21
Colour	Midnight Black
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for MSTI21




- \* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- \* Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at [www.lauxesgrates.com.au](http://www.lauxesgrates.com.au)

*Disclaimer:* All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

## PRODUCT SPECIFICATIONS

Product	180 Degree Joiner Pk2
Code	LCFJOINER180-22
Colour	Silk Silver
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for SFG




- \* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- \* Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at [www.lauxesgrates.com.au](http://www.lauxesgrates.com.au)

*Disclaimer:* All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

## PRODUCT SPECIFICATIONS

Product	180 Degree Joiner Pk2
Code	LCMFJOINER180-22
Colour	Midnight Black
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for MSFG




- \* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- \* Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at [www.lauxesgrates.com.au](http://www.lauxesgrates.com.au)

*Disclaimer:* All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

## PRODUCT SPECIFICATIONS

Product	180 Degree Joiner Pk2
Code	LCFJOINER180-26
Colour	Silk Silver
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for STI, WSFG & NXT26



- \* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- \* Neutral cure silicone is recommended.


Warranty information and Care & Maintenance can be found at [www.lauxesgrates.com.au](http://www.lauxesgrates.com.au)

*Disclaimer:* All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.



## PRODUCT SPECIFICATIONS

Product	180 Degree Joiner Pk2
Code	LCMFJOINER180-26
Colour	Midnight Black
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for MSTI MNXT26 & MWSFG




- \* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- \* Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at [www.lauxesgrates.com.au](http://www.lauxesgrates.com.au)

*Disclaimer:* All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

## PRODUCT SPECIFICATIONS

Product	180 Degree Joiner Pk2
Code	LCFJOINER180-35
Colour	Silk Silver
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for TIP & NXT35



\* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

\* Neutral cure silicone is recommended.


\*

Warranty information and Care & Maintenance can be found at [www.lauxesgrates.com.au](http://www.lauxesgrates.com.au)

*Disclaimer:* All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

## PRODUCT SPECIFICATIONS

Product	180 Degree Joiner Pk2
Code	LCMFJOINER180-35
Colour	Midnight Black
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for MTIP & MNXT35



\* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

\* Neutral cure silicone is recommended.

\*

Warranty information and Care & Maintenance can be found at [www.lauxesgrates.com.au](http://www.lauxesgrates.com.au)

*Disclaimer:* All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.