


TABLE OF CONTENTS

14mm - silver - best for NXT14	2
14mm - black - best for MNXT14	3
21mm - silver - best for STI21	4
21mm - black - best for MSTI21	5
22mm - silver - best for SFG	6
22mm - black - best for MSFG	7
26mm - silver - best for STI, WSFG and NXT26	8
26mm - black - best for MSTI, MWSFG and MNXT26	9
35mm - silver - best for TIP and NXT35	10
35mm - black - best for MTIP and MNXT35	11

PRODUCT SPECIFICATIONS

Product	90 Degree Joiner Pk2
Code	LCFJOINER90-14
Colour	Silk Silver
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for NXT14




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	90 Degree Joiner Pk2
Code	LCMFJOINER90-14
Colour	Midnight Black
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for MNXT14




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	90 Degree Joiner Pk2
Code	LCFJOINER90-21
Colour	Silk Silver
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for STI21




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	90 Degree Joiner Pk2
Code	LCMFJOINER90-21
Colour	Midnight Black
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for MSTI21




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	90 Degree Joiner Pk2
Code	LCFJOINER90-22
Colour	Silk Silver
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for SFG




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	90 Degree Joiner Pk2
Code	LCMFJOINER90-22
Colour	Midnight Black
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for MSFG




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	90 Degree Joiner Pk2
Code	LCFJOINER90-26
Colour	Silk Silver
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for STI, WSFG & NXT26




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	90 Degree Joiner Pk2
Code	LCMFJOINER90-26
Colour	Midnight Black
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for MSTI & MWSFG




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	90 Degree Joiner Pk2
Code	LCFJOINER90-35
Colour	Silk Silver
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for TIP & NXT35




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	90 Degree Joiner Pk2
Code	LCMFJOINER90-35
Colour	Midnight Black
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for MTIP & MNXT35



- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.