




STORM WATER TOP TRAYS

TABLE OF CONTENTS

NXT style - 128mm width - top tray only - silver	2
NXT style - 128mm width - top tray only - black	3
Tile Insert style - 128mm width - top tray only - black	4

PRODUCT SPECIFICATIONS

Product	Stormwater Grate
Code	L128SWGNT
Colour	Silk Silver
Length	5.6m
Width	128mm
Depth	19mm (Top Only)
Material	Anodised Aluminium
Applications	Outdoor
Features	<ul style="list-style-type: none"> • Sleek Design • Easy Installation • High Water Flow • Lifetime Rustproof Warranty




* Total length is 5.8m, total usable length is 5.6m to allow for any wastage during the anodising process.

* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

PRODUCT SPECIFICATIONS

Product	Stormwater Grate
Code	L128SWGMINXT
Colour	Midnight Black
Length	5.6m
Width	128mm
Depth	19mm (Top Only)
Material	Anodised Aluminium
Applications	Outdoor
Features	<ul style="list-style-type: none"> • Sleek Design • Easy Installation • High Water Flow • Lifetime Rustproof Warranty • UV Stable




* Total length is 5.8m, total usable length is 5.6m to allow for any wastage during the anodising process.

* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

PRODUCT SPECIFICATIONS

Product	Tile Insert Stormwater Grate
Code	L128SWGMI
Colour	Midnight Black
Length	5.6m
Width	128mm
Depth	19mm (Top Only)
Material	Anodised Aluminium
Applications	Outdoor
Features	<ul style="list-style-type: none"> • Sleek Design • Easy Installation • High Water Flow • Suitable for tiles up to 13mm thick • Lifetime Rustproof Warranty • UV Stable



* Total length is 5.8m, total usable length is 5.6m to allow for any wastage during the anodising process.

* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au