


TABLE OF CONTENTS

14x100mm - silver - best for NXT14	2
14x100mm - black - best for MNXT14	3
21x100mm - silver - best for STI21	4
21x100mm - black - best for MSTI21	5
23x70mm - silver - best for SFG	6
23x70mm - black - best for MSFG	7
26x100mm - silver - best for WSFG, STI and NXT26	8
26x100mm - black - best for MWSFG, MSTI and MNXT26	9
35x100mm - silver - best for TIP and NXT35	10
35x100mm - black - best for MTIP and MNXT35	11

PRODUCT SPECIFICATIONS

Product	End Caps Pk2
Code	LCFGRATEC100-14
Colour	Silk Silver
Dimensions	14 x 100mm
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for NXT14




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	End Caps Pk2
Code	LCFGRATEC100-14M
Colour	Midnight Black
Dimensions	14 x 100mm
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for MNXT14




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	End Caps Pk2
Code	LCFGRATEC100-21
Colour	Silk Silver
Dimensions	14 x 100mm
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for STI21




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	End Caps Pk2
Code	LCFGRATEC100-21M
Colour	Midnight Black
Dimensions	14 x 100mm
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for MSTI21




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	End Caps Pk2
Code	LCFGRATEC
Colour	Silk Silver
Dimensions	23 x 70mm
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for SFG




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	End Caps Pk2
Code	LCFGRATECM
Colour	Midnight Black
Dimensions	23 x 70mm
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for SFG




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	End Caps Pk2
Code	LCFGRATEC100S
Colour	Silk Silver
Dimensions	26 x 100mm
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for WSFG, STI & NXT26




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	End Caps Pk2
Code	LCFGRATEC100SM
Colour	Midnight Black
Dimensions	26 x 100mm
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for MWSFG, MSTI & MNXT26




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	End Caps Pk2
Code	LCFGRATEC100
Colour	Silk Silver
Dimensions	35 x 100mm
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for TIP & NXT35




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	End Caps Pk2
Code	LCFGRATEC100M
Colour	Midnight Black
Dimensions	35 x 100mm
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for MTIP & MNXT35



- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.