


90 DEGREE/CORNER JOINERS

TABLE OF CONTENTS

90 Degree Joiner 14mm	2
90 Degree Joiner 21mm	3
90 Degree Joiner 23mm	4
90 Degree Joiner 26mm	5
90 Degree Joiner 35mm	6

PRODUCT SPECIFICATIONS

Product	90 Degree Joiner 14mm
Code	J14-S-90, J14-M-90, J14-G-90, J14-BN-90, J14-GM-90
Colours Available	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for all NeXT Generation 14



* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.


* Neutral cure silicone is recommended

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	90 Degree Joiner 21mm
Code	J21-S-90, J21-M-90, J21-G-90, J21-BN-90, J21-GM-90
Colours Available	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for all NeXT Generation 21 and Tile Insert 21



* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.


* Neutral cure silicone is recommended

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	90 Degree Joiner 23mm
Code	J23-S-90, J23-M-90, J23-G-90, J23-BN-90, J23-GM-90
Colours Available	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for all Standard Floor Grate



* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.


* Neutral cure silicone is recommended

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	90 Degree Joiner 26mm
Code	J26-S-90, J26-M-90, J26-G-90, J26-BN-90, J26-GM-90
Colours Available	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for all NeXT Generation 26 and Tile Insert 26



* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.


* Neutral cure silicone is recommended

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	90 Degree Joiner 35mm
Code	J35-S-90, J35-M-90, J35-G-90, J35-BN-90, J35-GM-90
Colours Available	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
Material	Anodised Aluminium
Applications	Indoor and Outdoor
Features	Suitable for all NeXT Generation 35 & Tile Insert Plus



* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

* Neutral cure silicone is recommended

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.