


NXT GRATES

TABLE OF CONTENTS

NXT14 – 14mm depth – 1000mm Length	2
NXT14 – 14mm depth – 1600mm Length	3
NXT14 – 14mm depth – 2000mm Length	4
NXT14 – 14mm depth – 3000mm Length	5
NXT14 – 14mm depth – 5600mm Length	6
NXT21 – 21mm depth – 1000mm Length	7
NXT21 – 21mm depth – 1600mm Length	8
NXT21 – 21mm depth – 2000mm Length	9
NXT21 – 21mm depth – 3000mm Length	10
NXT21 – 21mm depth – 5600mm Length	11
NXT26 – 26mm depth – 1000mm Length	12
NXT26 – 26mm depth – 1600mm Length	13
NXT26 – 26mm depth – 2000mm Length	14
NXT26 – 26mm depth – 3000mm Length	15
NXT26 – 26mm depth – 5600mm Length	16
NXT35 – 35mm depth – 1000mm Length	17
NXT35 – 35mm depth – 1600mm Length	18
NXT35 – 35mm depth – 2000mm Length	19
NXT35 – 35mm depth – 3000mm Length	20
NXT35 – 35mm depth – 5600mm Length	21

PRODUCT SPECIFICATIONS


Product	NeXT Generation 14 (NXT14)
Code	NXT14-S-1, NXT14-M-1, NXT14-G-1, NXT14-BN-1, NXT14-GM-1
Colours Available	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
Length	1000mm
Width	100mm
Depth	14mm
Material	Anodised Aluminium
Weight	1.4kg
Applications	Indoor and Outdoor
Features	• No bedding required • Thick as tile and glue • Anti-water tracking design • Easy roll out feature for cleaning and maintenance • Lifetime Rustproof Warranty • UV Stable
Scope of Use	DN90 40mm, 50mm, 72mm and 80mm
Load Rating	Class B - Maximum Load at 10.2 tons



* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

PRODUCT SPECIFICATIONS


Product	NeXT Generation 14 (NXT14)
Code	NXT14-S-1.6, NXT14-M-1.6, NXT14-G-1.6, NXT14-BN-1.6, NXT14-GM-1.6
Colours Available	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
Length	1600mm
Width	100mm
Depth	14mm
Material	Anodised Aluminium
Weight	2.2kg
Applications	Indoor and Outdoor
Features	• No bedding required • Thick as tile and glue • Anti-water tracking design • Easy roll out feature for cleaning and maintenance • Lifetime Rustproof Warranty • UV Stable
Scope of Use	DN90 40mm, 50mm, 72mm and 80mm
Load Rating	Class B - Maximum Load at 10.2 tons



* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

PRODUCT SPECIFICATIONS


Product	NeXT Generation 14 (NXT14)
Code	NXT14-S-2, NXT14-M-2, NXT14-G-2, NXT14-BN-2, NXT14-GM-2
Colours Available	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
Length	2000mm
Width	100mm
Depth	14mm
Material	Anodised Aluminium
Weight	2.8kg
Applications	Indoor and Outdoor
Features	• No bedding required • Thick as tile and glue • Anti-water tracking design • Easy roll out feature for cleaning and maintenance • Lifetime Rustproof Warranty • UV Stable
Scope of Use	DN90 40mm, 50mm, 72mm and 80mm
Load Rating	Class B - Maximum Load at 10.2 tons



* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

PRODUCT SPECIFICATIONS

Product	NeXT Generation 14 (NXT14)
Code	NXT14-S-3, NXT14-M-3, NXT14-G-3, NXT14-BN-3, NXT14-GM-3
Colours Available	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
Length	3000mm
Width	100mm
Depth	14mm
Material	Anodised Aluminium
Weight	4.4kg
Applications	Indoor and Outdoor
Features	• No bedding required • Thick as tile and glue • Anti-water tracking design • Easy roll out feature for cleaning and maintenance • Lifetime Rustproof Warranty • UV Stable
Scope of Use	DN90 40mm, 50mm, 72mm and 80mm
Load Rating	Class B - Maximum Load at 10.2 tons




* Total length of full grate is 3.2m, total usable length is 3m to allow for any wastage during the anodising process.

* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

PRODUCT SPECIFICATIONS


Product	NeXT Generation 14 (NXT14)
Code	NXT14-S-5.6, NXT14-M-5.6, NXT14-G-5.6, NXT14-BN-5.6, NXT14-GM-5.6
Colours Available	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
Length	5600mm
Width	100mm
Depth	14mm
Material	Anodised Aluminium
Weight	8.0kg
Applications	Indoor and Outdoor
Features	• No bedding required • Thick as tile and glue • Anti-water tracking design • Easy roll out feature for cleaning and maintenance • Lifetime Rustproof Warranty • UV Stable
Scope of Use	DN90 40mm, 50mm, 72mm and 80mm
Load Rating	Class B - Maximum Load at 10.2 tons



- * Total length of full grate is 5.8m, total usable length is 5.6m to allow for any wastage during the anodising process.
- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

PRODUCT SPECIFICATIONS


Product	NeXT Generation 21 (NXT21)
Code	NXT21-S-1, NXT21-M-1, NXT21-G-1, NXT21-BN-1, NXT21-GM-1
Colours Available	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
Length	1000mm
Width	100mm
Depth	21mm
Material	Anodised Aluminium
Weight	1.5kg
Applications	Indoor and Outdoor
Features	• Anti-water tracking design • Choice of waste outlets • Joiners for easy extension • Easy roll out feature for cleaning and maintenance • Lifetime Rustproof Warranty • UV Stable
Scope of Use	DN90 40mm, 50mm, 72mm and 80mm
Load Rating	Class B - Maximum Load at 10.2 tons



- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

PRODUCT SPECIFICATIONS


Product	NeXT Generation 21 (NXT21)
Code	NXT21-S-1.6, NXT21-M-1.6, NXT21-G-1.6, NXT21-BN-1.6, NXT21-GM-1.6
Colours Available	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
Length	1600mm
Width	100mm
Depth	21mm
Material	Anodised Aluminium
Weight	2.4kg
Applications	Indoor and Outdoor
Features	• Anti-water tracking design • Choice of waste outlets • Joiners for easy extension • Easy roll out feature for cleaning and maintenance • Lifetime Rustproof Warranty • UV Stable
Scope of Use	DN90 40mm, 50mm, 72mm and 80mm
Load Rating	Class B - Maximum Load at 10.2 tons



* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

PRODUCT SPECIFICATIONS


Product	NeXT Generation 21 (NXT21)
Code	NXT21-S-2, NXT21-M-2, NXT21-G-2, NXT21-BN-2, NXT21-GM-2
Colours Available	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
Length	2000mm
Width	100mm
Depth	21mm
Material	Anodised Aluminium
Weight	3.0kg
Applications	Indoor and Outdoor
Features	• Anti-water tracking design • Choice of waste outlets • Joiners for easy extension • Easy roll out feature for cleaning and maintenance • Lifetime Rustproof Warranty • UV Stable
Scope of Use	DN90 40mm, 50mm, 72mm and 80mm
Load Rating	Class B - Maximum Load at 10.2 tons



* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

PRODUCT SPECIFICATIONS

Product	NeXT Generation 21 (NXT21)
Code	NXT21-S-3, NXT21-M-3, NXT21-G-3, NXT21-BN-3, NXT21-GM-3
Colours Available	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
Length	3000mm
Width	100mm
Depth	21 mm
Material	Anodised Aluminium
Weight	4.8kg
Applications	Indoor and Outdoor
Features	• Anti-water tracking design • Choice of waste outlets • Joiners for easy extension • Easy roll out feature for cleaning and maintenance • Lifetime Rustproof Warranty • UV Stable
Scope of Use	DN90 40mm, 50mm, 72mm and 80mm
Load Rating	Class B - Maximum Load at 10.2 tons




* Total length of full grate is 3.2m, total usable length is 3.0m to allow for any wastage during the anodising process.

* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

PRODUCT SPECIFICATIONS

Product	NeXT Generation 21 (NXT21)
Code	NXT21-S-5.6, NXT21-M-5.6, NXT21-G-5.6, NXT21-BN-5.6, NXT21-GM-5.6
Colours Available	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
Length	5600mm
Width	100mm
Depth	21mm
Material	Anodised Aluminium
Weight	8.7kg
Applications	Indoor and Outdoor
Features	• Anti-water tracking design • Choice of waste outlets • Joiners for easy extension • Easy roll out feature for cleaning and maintenance • Lifetime Rustproof Warranty • UV Stable
Scope of Use	DN90 40mm, 50mm, 72mm and 80mm
Load Rating	Class B - Maximum Load at 10.2 tons




* Total length of full grate is 5.8m, total usable length is 5.6m to allow for any wastage during the anodising process.

* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

PRODUCT SPECIFICATIONS


Product	NeXT Generation 26 (NXT26)
Code	NXT26-S-1, NXT26-M-1, NXT26-G-1, NXT26-BN-1, NXT26-GM-1
Colours Available	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
Length	1000mm
Width	100mm
Depth	26mm
Material	Anodised Aluminium
Weight	1.6kg
Applications	Indoor and Outdoor
Features	• Anti-water tracking design • Choice of waste outlets • Joiners for easy extension • Easy roll out feature for cleaning and maintenance • Lifetime Rustproof Warranty • UV Stable
Scope of Use	DN90 40mm, 50mm, 72mm and 80mm
Load Rating	Class B - Maximum Load at 10.2 tons



* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

PRODUCT SPECIFICATIONS


Product	NeXT Generation 26 (NXT26)
Code	NXT26-S-1.6, NXT26-M-1.6, NXT26-G-1.6, NXT26-BN-1.6, NXT26-GM-1.6
Colours Available	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
Length	1600mm
Width	100mm
Depth	26mm
Material	Anodised Aluminium
Weight	2.5kg
Applications	Indoor and Outdoor
Features	• Anti-water tracking design • Choice of waste outlets • Joiners for easy extension • Easy roll out feature for cleaning and maintenance • Lifetime Rustproof Warranty • UV Stable
Scope of Use	DN90 40mm, 50mm, 72mm and 80mm
Load Rating	Class B - Maximum Load at 10.2 tons



* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

PRODUCT SPECIFICATIONS


Product	NeXT Generation 26 (NXT26)
Code	NXT26-S-2, NXT26-M-2, NXT26-G-2, NXT26-BN-2, NXT26-GM-2
Colours Available	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
Length	2000mm
Width	100mm
Depth	26mm
Material	Anodised Aluminium
Weight	3.1kg
Applications	Indoor and Outdoor
Features	• Anti-water tracking design • Choice of waste outlets • Joiners for easy extension • Easy roll out feature for cleaning and maintenance • Lifetime Rustproof Warranty • UV Stable
Scope of Use	DN90 40mm, 50mm, 72mm and 80mm
Load Rating	Class B - Maximum Load at 10.2 tons



* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

PRODUCT SPECIFICATIONS

Product	NeXT Generation 26 (NXT26)
Code	NXT26-S-3, NXT26-M-3, NXT26-G-3, NXT26-BN-3, NXT26-GM-3
Colours Available	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
Length	3000mm
Width	100mm
Depth	26mm
Material	Anodised Aluminium
Weight	4.7kg
Applications	Indoor and Outdoor
Features	• Anti-water tracking design • Choice of waste outlets • Joiners for easy extension • Easy roll out feature for cleaning and maintenance • Lifetime Rustproof Warranty • UV Stable
Scope of Use	DN90 40mm, 50mm, 72mm and 80mm
Load Rating	Class B - Maximum Load at 10.2 tons




* Total length of full grate is 3.2m, total usable length is 3m to allow for any wastage during the anodising process.

* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

PRODUCT SPECIFICATIONS

Product	NeXT Generation 26 (NXT26)
Code	NXT26-S-5.6, NXT26-M-5.6, NXT26-G-5.6, NXT26-BN-5.6, NXT26-GM-5.6
Colours Available	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
Length	5600mm
Width	100mm
Depth	26mm
Material	Anodised Aluminium
Weight	9.0kg
Applications	Indoor and Outdoor
Features	• Anti-water tracking design • Choice of waste outlets • Joiners for easy extension • Easy roll out feature for cleaning and maintenance • Lifetime Rustproof Warranty • UV Stable
Scope of Use	DN90 40mm, 50mm, 72mm and 80mm
Load Rating	Class B - Maximum Load at 10.2 tons




* Total length of full grate is 5.8m, total usable length is 5.6m to allow for any wastage during the anodising process.

* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

PRODUCT SPECIFICATIONS

Product	NeXT Generation 35 (NXT35)
Code	NXT35-S-1, NXT35-M-1, NXT35-G-1, NXT35-BN-1, NXT35-GM-1
Colours Available	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
Length	1000mm
Width	100mm
Depth	35mm
Material	Anodised Aluminium
Weight	2.1kg
Applications	Outdoor
Features	• Anti-water tracking design • Deepest grate currently available • Easy roll out feature for cleaning and maintenance • Lifetime Rustproof Warranty • UV Stable
Scope of Use	DN90 40mm, 50mm, 72mm and 80mm
Load Rating	Class B - Maximum Load at 10.2 tons




* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

PRODUCT SPECIFICATIONS


Product	NeXT Generation 35 (NXT35)
Code	NXT35-S-1.6, NXT35-M-1.6, NXT35-G-1.6, NXT35-BN-1.6, NXT35-GM-1.6
Colours Available	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
Length	1600mm
Width	100mm
Depth	35mm
Material	Anodised Aluminium
Weight	3.3kg
Applications	Outdoor
Features	• Anti-water tracking design • Deepest grate currently available • Easy roll out feature for cleaning and maintenance • Lifetime Rustproof Warranty • UV Stable
Scope of Use	DN90 40mm, 50mm, 72mm and 80mm
Load Rating	Class B - Maximum Load at 10.2 tons



* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

PRODUCT SPECIFICATIONS


Product	NeXT Generation 35 (NXT35)
Code	NXT35-S-2, NXT35-M-2, NXT35-G-2, NXT35-BN-2, NXT35-GM-2
Colours Available	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
Length	2000mm
Width	100mm
Depth	35mm
Material	Anodised Aluminium
Weight	4.1kg
Applications	Outdoor
Features	• Anti-water tracking design • Deepest grate currently available • Easy roll out feature for cleaning and maintenance • Lifetime Rustproof Warranty • UV Stable
Scope of Use	DN90 40mm, 50mm, 72mm and 80mm
Load Rating	Class B - Maximum Load at 10.2 tons



* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

PRODUCT SPECIFICATIONS

Product	NeXT Generation 35 (NXT35)
Code	NXT35-S-3, NXT35-M-3, NXT35-G-3, NXT35-BN-3, NXT35-GM-3
Colours Available	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
Length	3000mm
Width	100mm
Depth	35mm
Material	Anodised Aluminium
Weight	6.2kg
Applications	Outdoor
Features	• Anti-water tracking design • Deepest grate currently available • Easy roll out feature for cleaning and maintenance • Lifetime Rustproof Warranty • UV Stable
Scope of Use	DN90 40mm, 50mm, 72mm and 80mm
Load Rating	Class B - Maximum Load at 10.2 tons




* Total length of full grate is 3.2m, total usable length is 3m to allow for any wastage during the anodising process.

* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

PRODUCT SPECIFICATIONS

Product	NeXT Generation 35 (NXT35)
Code	NXT35-S-5.6, NXT35-M-5.6, NXT35-G-5.6, NXT35-BN-5.6, NXT35-GM-5.6
Colours Available	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
Length	5600mm
Width	100mm
Depth	35mm
Material	Anodised Aluminium
Weight	12.0kg
Applications	Outdoor
Features	• Anti-water tracking design • Deepest grate currently available • Easy roll out feature for cleaning and maintenance • Lifetime Rustproof Warranty • UV Stable
Scope of Use	DN90 40mm, 50mm, 72mm and 80mm
Load Rating	Class B - Maximum Load at 10.2 tons



* Total length of full grate is 5.8m, total usable length is 5.6m to allow for any wastage during the anodising process.

* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au