


STORMWATER TOP TRAYS

TABLE OF CONTENTS

SW109 - 109mm depth - 1000mm length	2
SW109 - 109mm depth - 2000mm length	3
SW109 - 109mm depth - 3000mm length	4
SW128 - 128mm depth - 1000mm length	5
SW128 - 128mm depth - 2000mm length	6
SW128 - 128mm depth - 3000mm length	7
SW128 - 128mm depth - 5600mm length	8
SWT128 - 128mm depth - 1000mm length	9
SWT128 - 128mm depth - 2000mm length	10
SWT128 - 128mm depth - 3000mm length	11
SWT128 - 128mm depth - 5600mm length	12

PRODUCT SPECIFICATIONS


Product	Storm Water NeXT Generation 109 (SW109)
Code	SW109-S-1
Colour	Silver
Length	1000mm
Width	109mm
Depth	19mm (Top Only)
Material	Anodised Aluminium
Weight	1.3kg
Applications	Outdoor
Features	• Sleek Design • Easy Installation • High Water Flow • Lifetime Rustproof Warranty • UV Stable • Replacement Top Only
Load Rating	Class B - Maximum Load at 10.2 tons



* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

PRODUCT SPECIFICATIONS


Product	Storm Water NeXT Generation 109 (SW109)
Code	SW109-S-2
Colour	Silver
Length	2000mm
Width	109mm
Depth	19mm (Top Only)
Material	Anodised Aluminium
Weight	2.5kg
Applications	Outdoor
Features	• Sleek Design • Easy Installation • High Water Flow • Lifetime Rustproof Warranty • UV Stable • Replacement Top Only
Load Rating	Class B - Maximum Load at 10.2 tons



* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

PRODUCT SPECIFICATIONS

Product	Storm Water NeXT Generation 109 (SW109)
Code	SW109-S-3
Colour	Silver
Length	3000mm
Width	109mm
Depth	19mm (Top Only)
Material	Anodised Aluminium
Weight	4.0kg
Applications	Outdoor
Features	• Sleek Design • Easy Installation • High Water Flow • Lifetime Rustproof Warranty • UV Stable • Replacement Top Only
Load Rating	Class B - Maximum Load at 10.2 tons




- * Total length of full grate is 3.2m, total usable length is 3m to allow for any wastage during the anodising process.
- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

PRODUCT SPECIFICATIONS

Product	Storm Water NeXT Generation 128 (SW128)
Code	SW128-S-1, SW128-M-1
Colour	Silver, Midnight
Length	1000mm
Width	128mm
Depth	19mm (Top Only)
Material	Anodised Aluminium
Weight	1.3kg
Applications	Outdoor
Features	• Sleek Design • Easy Installation • High Water Flow • Lifetime Rustproof Warranty • UV Stable • Replacement Top Only
Load Rating	Class B - Maximum Load at 10.2 tons




* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

PRODUCT SPECIFICATIONS


Product	Storm Water NeXT Generation 128 (SW128)
Code	SW128-S-2, SW128-M-2
Colour	Silver, Midnight
Length	2000mm
Width	128mm
Depth	19mm (Top Only)
Material	Anodised Aluminium
Weight	2.5kg
Applications	Outdoor
Features	• Sleek Design • Easy Installation • High Water Flow • Lifetime Rustproof Warranty • UV Stable • Replacement Top Only
Load Rating	Class B - Maximum Load at 10.2 tons



* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

PRODUCT SPECIFICATIONS

Product	Storm Water NeXT Generation 128 (SW128)
Code	SW128-S-3, SW128-M-3
Colour	Silver, Midnight
Length	3000mm
Width	128mm
Depth	19mm (Top Only)
Material	Anodised Aluminium
Weight	4.0kg
Applications	Outdoor
Features	• Sleek Design • Easy Installation • High Water Flow • Lifetime Rustproof Warranty • UV Stable • Replacement Top Only
Load Rating	Class B - Maximum Load at 10.2 tons




- * Total length of full grate is 3.2m, total usable length is 3m to allow for any wastage during the anodising process.
- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

PRODUCT SPECIFICATIONS

Product	Storm Water NeXT Generation 128 (SW128)
Code	SW128-S-5.6, SW128-M-5.6
Colour	Silver, Midnight
Length	5600mm
Width	128mm
Depth	19mm (Top Only)
Material	Anodised Aluminium
Weight	7.3kg
Applications	Outdoor
Features	• Sleek Design • Easy Installation • High Water Flow • Lifetime Rustproof Warranty • UV Stable • Replacement Top Only
Load Rating	Class B - Maximum Load at 10.2 tons




- * Total length of full grate is 5.8m, total usable length is 5.6m to allow for any wastage during the anodising process.
- * Total length of full grate is 5.8m, total usable length is 5.6m to allow for any wastage during the anodising process.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

PRODUCT SPECIFICATIONS


Product	Storm Water Tile Insert (SWT128)
Code	SWT128-M-1
Colour	Midnight
Length	1000mm
Width	128mm
Depth	19mm (Top Only)
Material	Anodised Aluminium
Weight	2.2kg
Applications	Outdoor
Features	• Sleek Design • Easy Installation • High Water Flow • Suitable for tiles up to 13mm thick • Lifetime Rustproof Warranty • UV Stable • Replacement Top Only
Load Rating	Class B - Maximum Load at 10.2 tons



* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

PRODUCT SPECIFICATIONS

Product	Storm Water Tile Insert (SWT128)
Code	SWT128-M-2
Colour	Midnight
Length	2000mm
Width	128mm
Depth	19mm (Top Only)
Material	Anodised Aluminium
Weight	4.5kg
Applications	Outdoor
Features	• Sleek Design • Easy Installation • High Water Flow • Suitable for tiles up to 13mm thick • Lifetime Rustproof Warranty • UV Stable • Replacement Top Only
Load Rating	Class B - Maximum Load at 10.2 tons




* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

PRODUCT SPECIFICATIONS

Product	Storm Water Tile Insert (SWT128)
Code	SWT128-M-3
Colour	Midnight
Length	3000mm
Width	128mm
Depth	19mm (Top Only)
Material	Anodised Aluminium
Weight	7.2kg
Applications	Outdoor
Features	• Sleek Design • Easy Installation • High Water Flow • Suitable for tiles up to 13mm thick • Lifetime Rustproof Warranty • UV Stable • Replacement Top Only
Load Rating	Class B - Maximum Load at 10.2 tons




- * Total length of full grate is 3.2m, total usable length is 3m to allow for any wastage during the anodising process.
- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

PRODUCT SPECIFICATIONS

Product	Storm Water Tile Insert (SWT128)
Code	SWT128-M-5.6
Colour	Midnight
Length	5600mm
Width	128mm
Depth	19mm (Top Only)
Material	Anodised Aluminium
Weight	13.0kg
Applications	Outdoor
Features	• Sleek Design • Easy Installation • High Water Flow • Suitable for tiles up to 13mm thick • Lifetime Rustproof Warranty • UV Stable • Replacement Top Only
Load Rating	Class B - Maximum Load at 10.2 tons



- * Total length of full grate is 5.8m, total usable length is 5.6m to allow for any wastage during the anodising process.
- * Total length of full grate is 5.8m, total usable length is 5.6m to allow for any wastage during the anodising process.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au