


## THIN END CAPS

### TABLE OF CONTENTS

Thin End Caps 14mm	2
Thin End Caps 21mm	3
Thin End Caps 23mm	4
Thin End Caps 26mm	5
Thin End Caps 35mm	6

## PRODUCT SPECIFICATIONS

<b>Product</b>	Thin End Caps 14mm
<b>Code</b>	EC14-S-100, EC14-M-100, EC14-G-100, EC14-BN-100, EC14-GM-100
<b>Colours Available</b>	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
<b>Dimensions</b>	14 x 100mm
<b>Material</b>	Anodised Aluminium
<b>Applications</b>	Indoor and Outdoor
<b>Features</b>	Suitable for all NeXT Generation 14



\* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.


\* Neutral cure silicone is recommended

Warranty information and Care & Maintenance can be found at [www.lauxesgrates.com.au](http://www.lauxesgrates.com.au)

*Disclaimer:* All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

## PRODUCT SPECIFICATIONS

<b>Product</b>	Thin End Caps 21mm
<b>Code</b>	EC21-S-100, EC21-M-100, EC21-G-100, EC21-BN-100, EC21-GM-100
<b>Colours Available</b>	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
<b>Dimensions</b>	21 x 100mm
<b>Material</b>	Anodised Aluminium
<b>Applications</b>	Indoor and Outdoor
<b>Features</b>	Suitable for all NeXT Generation 21 and Tile Insert 21



\* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.


\* Neutral cure silicone is recommended

Warranty information and Care & Maintenance can be found at [www.lauxesgrates.com.au](http://www.lauxesgrates.com.au)

*Disclaimer:* All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

## PRODUCT SPECIFICATIONS

<b>Product</b>	Thin End Caps 23mm
<b>Code</b>	EC23-S-70, EC23-M-70, EC23-G-70, EC23-BN-70, EC23-GM-70
<b>Colours Available</b>	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
<b>Dimensions</b>	23 x 70mm
<b>Material</b>	Anodised Aluminium
<b>Applications</b>	Indoor and Outdoor
<b>Features</b>	Suitable for all Standard Floor Grate



\* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.


\* Neutral cure silicone is recommended

Warranty information and Care & Maintenance can be found at [www.lauxesgrates.com.au](http://www.lauxesgrates.com.au)

*Disclaimer:* All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

## PRODUCT SPECIFICATIONS

<b>Product</b>	Thin End Caps 26mm
<b>Code</b>	EC26-S-100, EC26-M-100, EC26-G-100, EC26-BN-100 EC26-GM-100
<b>Colours Available</b>	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
<b>Dimensions</b>	26 x 100mm
<b>Material</b>	Anodised Aluminium
<b>Applications</b>	Indoor and Outdoor
<b>Features</b>	Suitable for all NeXT Generations 26 & Tile Insert 26



\* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.


\* Neutral cure silicone is recommended

Warranty information and Care & Maintenance can be found at [www.lauxesgrates.com.au](http://www.lauxesgrates.com.au)

*Disclaimer:* All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

## PRODUCT SPECIFICATIONS

<b>Product</b>	Thin End Caps 35mm
<b>Code</b>	EC35-S-100, EC35-M-100, EC35-G-100, EC35-BN-100, EC35-GM-100
<b>Colours Available</b>	Silver, Midnight, Gold, Brushed Nickel, Gunmetal
<b>Dimensions</b>	35 x 100mm
<b>Material</b>	Anodised Aluminium
<b>Applications</b>	Indoor and Outdoor
<b>Features</b>	Suitable for all NeXT Generation 35 & Tile Insert Plus



\* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

\* Neutral cure silicone is recommended

Warranty information and Care & Maintenance can be found at [www.lauxesgrates.com.au](http://www.lauxesgrates.com.au)

*Disclaimer:* All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.